App F IX 4

1955-56
(COY)

File No 53-55-1

Previous References
M 57-54-17,18,19

Serial Nos 4 1,2,3 4

Later References
Dep M-CM 4187657
LLH 44 CWD 58

GENERAL AND REVENUE SECRETARIAT

XLH 10 CWD 57
LLH 55 CD 55

Serial Nos X 4
P-15
E

Part B for July 1955

SUBJECT

Executing of underground drainage work at Davangere by P W Dept

WD 01425—GPB—25 000—15 9 1952

L 24428-21/D 28 6-55

To
The Chief Engineer & Mysore
The M Comm Davangere Cy-Mys
The D A- Mysore
The Controller I DD

& Issue orders entrusting the underground drainage work at Davangere to P.W. Dept

(1)

7642/III

Mysore Government Secretariat | File No | of 195 | [App F III 2

	Serial No	
		From
		The Chief Engineer of Mysore Bangalore
		8588-90/61 Dt 17-1-55
		Request to pass modified Orders transferring the entire underground drainage work at Davangere to the Control of the P W Dept.
		The C M Collection leading to the issue of letter no L 10417/C M 57-58-19 Dt 29 11 58 from the Govt to Dy no 7339/III for reference This file will be worked up soon after the Collection is released from the above.
Under reference to this enclosed		
Since released and put up 21/1/59	J	3) Govt in their letter no L 10417/C M 57-58-19 Dt 26 11 58 issued instructions to the Comm Davangere city Mcty that the work of the underground drainage works be done under the supervision and guidance of the Executive Engineer, P W Dept, Davangere Division
		4) The Chief Engineer has now taken objection to this and has stated that of the work as done by the Municipal agency and of the P W Dept as only a supervising agency, and it will not be possible for the Dept to insist the work

NOTE — Contn sheet

7642/11

Execution of underground drainage work at Davangere

File No of 195

Mysore Government Secretariat

Serial No

being done as per Departmental Specifications. Dual Control in the execution of the work will also hamper the progress and is not conducive to good work. In the event of any bad work done, the responsibility will get divided and no individual responsibility can be fixed.

5) He has therefore requested for Modified Orders of Govt transferring the entire work to the Control of the P W Dept. He has also stated that in the event of the work being done by the M[illegible], the entire responsibility will be vested with the Municipality even for Check measurements and passing the bills.

6 The letter dated 26/29 11 24 was referred on Consultation basis. The P W Secretary's Remarks may kindly be obtained in the matter.

9/4 12/4

7 Get the opinion of the Municipal Council as to why the entire work should not be transferred to P W D as the construction of underground drainage is a matter which requires careful supervision & expert advise

Bly

WD 07074—GPF—80;000—5 10 4

7642/M 1175

Underground drainage work at Davangere

Mysore Government Secretariat | File No of 195 | [App F III 2

Serial No	
	Submits with a Chief Letter for approval
	15/4 & 18/4
	2. Issue
	The M. Comm Davangere Cy MMS
	L 169-3/D 22-4-55
	Calls for the opinion of the M Cl on the matter
	Now
	The M Comm Davangere Cy MMS
	H C 257/55-6/D 13-5-55
	Forwards a Copy of the Resolution of the M Cl. Davangere passed on the matter
(10)	The M Comm states that the M Council Davangere at their meeting held on 30-4-55 have resolved that the Council is agreeable to entrust the underground drainage work to the public works Dept and that the Govt be requested to form a separate sub-Division for early execution of these works
	He has enclosed a Copy of the above resolution for information of Govt
Flg 7	
11	In the above circumstances, the underground drainage work may be entrusted to P W Dept
	Refd Ref para 7 supra for Particulars
	18/5 12) Sanction modification of proposals

NOTE —Contn sheet

7649, 1175

Execution of underground drainage work at

File No Davangere by P W D Dept of 193

Mysore Government Secretariat

Serial No flg S

...proceed to transfer the entire work ... to the P W D, for execution, as the Rd el has agreed to the suggestion made by the C E in his letter of 17-1-55 (page 1) ... The C E may be requested to send proposals to afford suitable staff ... with information as to the average cost of establishment proposed to be appointed, ... for which the staff would have to continue to finish the work and the finish made in the sanctioned estimate for the establishment staff, as three of the proposals made by the C E (Under portion marked 'A' in his letter of 17-1-55) and agreed to by the Rd el ... (para 13) ... The work may be undertaken up by the P W D. After orders are issued, the question of forming a separate Subdivision may be examined by the C E.

(Secy Roads Dept)

14)

Minister for P W D

Secy for P W D

Rd Secy

16)

17)

OFFICE OF THE ... UCLIS ... C

No 1344

2875 23 MAY 955 GOVERNMENT OF MYSORE

3455 1 JUN 955 WD 01074-G-B-500-5 10 4 GOVT OF MYSORE 14 JUN 55 ISOR

3248 30 MAY ... GOVT OF MYSORE

2699

(3) 1175-M
Execution of under ground Drainage work at Davanagere by P.W.D. Depts

18) Submitted a draft G.O. for approval
25/2/6 M.S.H/6

Issue
28/2/56

The C.E. & Retore Bangalore
" Municipal Comm. Davangere city Municipality (Via Retore)
" A.G.
" C.S.A.)
L 2428 31/Cm 53 55 dt 28-6-58

Submitted



No 8588 90/GI

Office of the Chief Engineer
of Mysore,
Bangalore, dated 17-1-1955

To

The Secretary to Government,
Local Self-Government Department
B a n g a l o r e

Sir,

Re the underground drainage work at
Davangere

With reference to your memo No 10418 dated the 29th November 1954 forwarding copy of letter No L 10417/CM 57-54-19 dated the 29th November 1954 addressed to the Municipal Commissioner, Davangere Municipality intimating therein that the work is ordered to be done under the supervision and guidance of the Executive Engineer, Public Works Department, Davangere Division, I write to inform you that since the Assistant Engineer has to check every work, it is very necessary that the whole work is to be done by the Public Worls Department as the Assistant Engineer has to get the work done as per specifications which requires close supervision If the work is done by the Municipal agency amd if the Public Works Department is only a supervising agency, and it will not be possible for this Department to insist the work being done as per Departmental specifications Duel control in the execution of the work will also hamper the progress and is not conducive to good work In the event of any bad work done, the responsibility will get devided and no individual responsibility can be fixed

In these circumstances modified orders of Government may kindly be issued transferring the entire work to the control of the Public Works Department Even for supervising the day to day work, Executive subordinates would be necessary specially in an underground drainge work where close supervision is necessary In the event of work costing more than 5 lakhs formation of a separate Sub Division also would be necessary

Under the circumstances, I therefore request that modifi

p t o

modified orders of Government may be issued transferring the entire work to Public Works Department for execution The Public Works Department will examine it and suggest suitable staff for the work In the event of the work being done by the Municipality, the entire responsibility shall be vested with the Municipality even for check measuring and passing the work as the Public Works Department Assistant Engineer cannot take any responsibility with mere superficial check so long as he is not in full charge of it

Yours faithfully,

H Ramachandra Rao

(H RAMACHANDRA RAO)

CHIEF ENGINEER OF MYSORE

MG 4/-13 1

Sl No 26] +++

GOVERNMENT OF MYSORE

15-5-95

General and Revenue Secretariat

Requisition for papers

Taken by S M Srinivasa M1 Branch for Govt No 07336 on 31/1/55

Section CM

A

B

Filed

Deposit No

File No. 57-54

Serial No 19

To be put up with Diary No 2642 of 1954

Signature T.M Bashir Ahamed

Branch M1

Section CM.

Date 31/1/55

WD 015471 GPB-2 000 pads of 100 shts each-18 1 52

Examined by G the Chief Engineer as he

WD 04859—GPB—40 000—22-1-54

(3)

Appendix F G —1]

SUBJECT Underground drainage work at Davangere

Diary No of letter replied to

Mysore Government Secretariat

( )

the *195*

Date of issue

Signed by

List of enclosures

Copied by

Examined by

Section Con

File No 53 55

Serial No 2

No L 1093/E

To 22-4-55

The M Comm Davangere

Cy- M/s (Thro the Hr prodn)

Sir,

I am directed to forward herewith a copy of letter no 8586-90/G1 D 17/55 received from the Chief Engineer of Mysore on the above subject and to request you kindly to obtain & forward the opinion of the M C as to why the entire work should not be transferred to the P.W Dept in the view of the facts explained by the Chief Engineer as the

WD 04859—GPB—40 000—22-1-54

(4)

Construction of underground drainage is a matter which requires careful supervision and expert advice

An early reply as requested

y d

L 1094 Edn & Libs Dept

22-4-55

Copy to the Chief Engineer

for information

(57)

OFFICE OF THE MUNICIPAL COMMISSIONER,
CITY MUNICIPALITY,

No. H C 25/55-6

Encl one

Davangere Dated 13th May 1955.

To Gn 53 55 3 1175

The Secretary to the Government of Mysore,
Education & Local Self Government Departments,
B A N G A L O R E



17 MAY 1955

Sir, GA 17/5

Subject - Underground drainage works at Davangere

With reference to your letter No L 1093/CM 53-55-2, dated 22-4-1955 on the above subject, I write to state that the Municipal Council at their meeting held on 30-4-1955 have resolved that the Council is agreeable to entrust the above work to the Public Works Department and that the Government be requested to form a separate Sub-Division for the early - execution of these works

A copy of the resolution of the Municipal Council for is enclosed herewith for the kind information of Government

Forwarded,

(K Veerabhadrappa,)
PRESIDENT,
CITY MUNICIPAL COUNCIL,
D A V A N G E R E

Yours Faithfully,

(G K Rangiah Naik)
Municipal Commissioner,
Davangere City Municipality

SPH 3

Requesting re-circumstances

Construction

Drainage

Regulations

And exp

An e

L 1094

22-4-55

Copy

(6)

Extract of the Proceedings of the ordinary general meeting of the Davangere City Municipal Council held on 30-4-55 in the City Municipal Offices Davangere at 4 P M

Present:

Sri K Veerabhadrappa, M A ,I L B , President

	Subject	Resolution
36	To consider letter No.L 1093-C M 53-55-2 dated 22-4-55 received from the Secretary to Govt Education and L S G Departments requesting to inti-mate the opinion of the Munici-pal Council in the matter of entrusting the works relating to underground drainage in the City to the public works Departments	Resolved that the Council is agreeable to entrust the work rela-ting to the underground drainage in Davangere City to the Public works Department and the Government be requested to from a separate sub-Division for the early execution of these works

sd/ K Veerabhadrappa,
President,

'Extract'

(G K Rangiah Naik,)
Municipal Commissioner,
Davangere City Municipality

An 2)/

M G S App F VI—G 2]

SUBJECT

Diary No of letter replied to

Mysore Government Secretariat

( )

the *195*

Date of issue 195

Signed by

May this be—
(i) printed ?
(ii) treated as a Standing Order ?
(iii) published in the Gazette English Part ?
(iv) translated ?
(v) placed at the disposal of the Press ?
(vi) published in the Gazette Kannada Part ?

Section Com

Serial No 53 55

File No 4

Proceedings of the Government of Mysore

Read—

G O no L 10413-16/CM S7-52-18 Dt 26/29-11-52 according sanction to the estimates for Rs 10 23 lakhs for a Comprehensive drainage Scheme in Davangere City the works being executed by PWD agency under the supervision and guidance of the Ex Engineer Public works Dept Davangere Division

2) Letter no 8588-90/GL D/171 55 from the Chief Engineer of Mysore requesting in the circumstances

Stated, Modified Orders of Govt-
transferring the entire drainage
work of Davangere City sanctioned
in G.O. dated 26/29 11 54 to the
Council of the Public Works Dept
and stating that as regards the staff
required for the work, this Dept
will examine the question and
suggest suitable staff

3) Letter No. H.C. 25/55-56 dated
13.5.55 from the M. Commr
Davangere City M/s forwarding
a Copy of the Resolution dated
30.4.55 of the C.C. M. Council Davangere
agreeing to entrust the work
relating to the underground
drainage in Davangere City to the
P.W. Dept.

List of Enclosures

Copied by

Examined by

Encl

WD 03540—GPB—40 000—13 8 55

M G S App F G 3]

MYSORE GOVERNMENT
SECRETARIAT

(Continuation sheet draft form)

3)

Order no L 3428 -31 dt 28/6/55

In partial modification of G O dated 26/29 11 54 read above, Govt are pleased to direct that the entire work of the underground drainage scheme in Davangere City be taken up for execution by the P W D Dept.

The question of forming a separate sub-Division for this work may be examined by the Chief Engineer.

25/6

For Secretary to Govt
Edn & PW Depts

To
The C E
The PW Comm Davangere City Mpy
The A G Mysore
The Controller S & D
~~The Chief Engineer Mysore~~

Mysore 27/6

Copy to P W D

WD 04860—GPB—40 000—22 1 54